


TravelSmarter[®] Booster Seat

Owner's Manual



Model Number: JK16101BRK

JK16101RBK

For Children:

Intl: 18-45Kg USA: 40-100lbs

For use ONLY with vehicle lap and
shoulder belt.

NOT for use with vehicle lap belt only.

WARNING

Carefully read and understand all instructions and warnings in this manual.
**FAILURE TO PROPERLY USE THIS CAR SEAT INCREASES THE RISK OF
SERIOUS INJURY OR DEATH IN A SUDDEN STOP OR CRASH.**

Table of Contents

1.0 General Warnings and Information.....	4
2.0 ▲ WARNINGS.....	6
3.0 Features and Benefits	9
3.1 Travel Smarter® Booster Seat (Front)	9
3.2 Travel Smarter® Booster Seat (Back)	9
3.3 Travel Smarter® Booster Seat (Bottom).....	10
4.0 Preparing Booster Car Seat for Use	
4.1 Select a Vehicle Seating Location to Install the Booster Car Seat.....	11
5.0 Proper Use Check List.....	11
6.0 Weight and Height Limits.....	12
7.0 Selecting a Vehicle Seating Location.....	13
7.1 Overall Considerations for Selecting a Seating Location.....	14
7.2 Seating Locations to Avoid.....	15
8.0 Step by Step Travel Smarter® Booster Seat Installation and Use	16
9.0 Vehicle Seat Belts	
9.1 Check that the Vehicle Seat Belt is Safe to Use.....	20

Table of Contents

10.0 Additional Information

10.1 Certification.....	24
10.2 Use with SafeRider Travel Vest.....	24
10.3 Useful Life.....	24

11.0 Cleaning and Maintenance.....25

12.0 Replacement Parts.....25

13.0 Car Seat Registration.....26

1.0 General Warnings and Information

WARNINGS TO PARENTS AND OTHER USERS

- Proper use is required. The child's safety depends on proper installation and use of this Booster Seat. Read and understand all information in this owner's manual and product labels before using this Booster Seat.
- Improper use of this Booster Seat can result in death or serious injury from a sudden stop or crash.

The ultimate safety of a child depends on the proper and secure installation of this Booster Seat in a vehicle. Proper installation requires that you read and understand this entire manual and the vehicle's owner's manual before placing child in the Booster Seat.

DO NOT allow others to install or use this Booster Seat unless they completely understand its proper use and installation.

- When using this Booster Seat, a Vehicle Lap/Shoulder belt are required to secure a child. The vehicle belt must be properly routed and positioned on the child. Adjust lap and shoulder belt to fit snugly around the child.
- This Booster Seat **IS FOR USE** in passenger vehicles, multi-purpose vehicles (vans and SUVs), trucks, and school buses that are equipped with lap and shoulder belts.
- This Booster Seat **IS NOT** certified for aircraft use or any other vehicle that is not equipped with lap and shoulder belt.

1.0 General Warnings and Information

Child's safety depends on:

1. Choosing the best location within the vehicle for installing the Booster Seat. Seating positions with front Air Bags must be avoided if possible.
2. Proper installation.
 - a. Requires proper routing and adjusting fit using Vehicle Lap and Shoulder Belt.
 - b. Always properly position the vehicle belts on the child and snugly adjust the vehicle belts around the child.

NOTE: Not all vehicle seat belts or vehicle seats can be used with this Booster Seat.

NEVER use with a vehicle lap-only seat belt.

3. Proper belt adjustment.
 - Properly position vehicle lap and shoulder belt on child.
 - Snugly adjust belts around child.

NEED HELP?

Contact Safe Traffic System, Inc. at 1-847-233-0365 or one of the following resources for additional information:

- Call 1-866-SEAT CHECK (1-866-732-8243).
- <https://www.nhtsa.gov/>
- <http://www.seatcheck.org>

2.0 ⚠️ WARNINGS ⚠️

Failure to follow these instructions and Booster Seat labels can result in child striking the vehicle's interior during a sudden stop or crash.

- Use this Booster Seat only with children who weigh between 18 and 45 kg (40 and 100 lbs.) and whose height is between 101 and 145 cm (40 and 57 in.) and who are capable of sitting upright unassisted.
- Child must be at least 4 years old and 18 kg (40 lbs.) to use this Booster Seat.
- Proper installation and securing of a child in the Booster Seat are essential to ensure the safety of a child. The child can be injured in a sudden stop or crash if not properly secured in the Booster Seat or if the Booster Seat is not properly installed in the vehicle.
- Use this Booster Seat forward-facing only with child facing the front of the vehicle.
- Snugly adjust the Vehicle's Lap & Shoulder Belt around child.
- Properly position the vehicle's lap and shoulder belt on child. The lap belt **MUST** be low on child's hips and contacting upper thighs. The shoulder belt **MUST** be centered on the shoulder and contacting the center of the chest.
- Use only the vehicle's lap and shoulder belt system to restrain a child.
- Never use a lap belt ONLY to secure child in the Booster Seat.
- Never leave your child unattended, even for a moment.
- Never put a Booster Seat in a vehicle front seat location unless specifically recommended in vehicle's owner's manual.



2.0 ⚠️ WARNINGS ⚠️

- **NEVER PLACE THIS BOOSTER SEAT IN A VEHICLE SEATING LOCATION THAT HAS AN AIR BAG.**

If an air bag inflates, it can hit the child and booster seat with great force and cause serious injury or death to your child. Refer to your vehicle owner's manual for information about air bags and booster seat installation.


- **The vehicle back seat is the safest place for children 12 and under.**
- **IF THIS BOOSTER SEAT IS NOT CONNECTED TO VEHICLE LOWER ANCHORS,** secure the Booster Seat with the lap and shoulder belt into the vehicle seat. An unsecured car seat can injure other occupants in a crash.
- This booster seat is designed and tested to accommodate a child of a specific range of weight and height. Using the booster seat for a child whose weight or height is outside of these limits will increase the risk of death or serious injury in the event of a crash(see "Weight and Height Limits" section).
- **DO NOT** dress the child in bulky clothing or other garments that will hinder vehicle belts being snugly adjusted around child.
- Not all vehicle seat belts or seating locations can be used with this booster seat. Read the vehicle's owner's manual and "Vehicle Seat Belts" section in this manual.
- Some vehicles do not have a safe location to use this Booster Seat. In addition, many vehicles do not have seat belt systems that will adequately hold this Booster Seat in the required position. Please refer to both this manual and the vehicle's owner's manual for complete information for proper, safe use of this Booster Seat.
- **THIS CHILD RESTRAINT CONFORMS** to all applicable Federal Motor Vehicle Safety Standards and is certified for use in motor vehicles. This restraint is **NOT** certified for use in aircraft because there is no shoulder belt available.

2.0 ⚠️ WARNINGS ⚠️

- **DO NOT** use accessories or parts other than those specifically provided for this model. Use of accessories or parts from other manufacturers could alter the performance and safety of the Booster Seat.
- **The Booster Seat may become very hot if left in direct sunlight. Child may suffer burns from hot components.**
Always check the Booster Seat for hot surfaces that may come into contact with child before placing child in the Booster Seat. We suggest that you cover the Booster Seat with a blanket or towel if it will be subject to direct sunlight while you are away from the vehicle.
- **This Booster Seat is constructed of plastic that can deform over time if left with an object in the seat while stored. DO NOT leave heavy objects in the Booster Seat while not in use. DO NOT store the seat in the trunk of the car with heavy objects on it or with pressure on the Booster Seat from the trunk lid.**
- **Discontinue use of the Booster Seat 10 years after the date of manufacture printed on the label on the bottom of the Seat Base.**
- **DO NOT use Booster Seat if it has been in a crash, it must be replaced. A crash can cause unseen damage and using it again could result in serious injury or death.**
- **DO NOT use Booster Seat if it is damaged or is missing parts.**
- **NO BOOSTER SEAT CAN GUARANTEE PROTECTION FROM INJURY. HOWEVER, PROPER USE OF THIS BOOSTER SEAT REDUCES THE RISK OF SERIOUS INJURY OR DEATH TO YOUR CHILD.**


3.0 Features and Benefits

3.1 Travel Smarter® Booster Seat(Front)




*The locking clip is supplied in separate packaging. After use, please keep it as shown in the picture or put it in an accessory bag for storage.

3.2 Travel Smarter® Booster Seat(Back)



3.0 Features and Benefits

3.3 Travel Smarter® Booster Seat(Bottom)




4.0 Preparing Car Seat for Use

The steps to prepare the Booster Seat for use with a child are outlined below and described in detail in this owner's manual.

4.1 Select a Vehicle Seating Location to Install the Booster Seat

- Select a vehicle seating location with a Vehicle Lap/Shoulder Belt.
- Never use a vehicle seating location with a Vehicle Lap Belt ONLY.



Lap Belt ONLY


5.0 Proper Use Check List

- ✓ Lap and Shoulder Belts are snugly adjusted around child.
- ✓ Lap Belt is low and flat on hips and contacting thighs.
- ✓ Shoulder Belt is centered on shoulder.
- ✓ Child is sitting up, not slouching down under Vehicle Lap Belt.
- ✓ Shoulder Belt is not under arm or behind back of child.
- ✓ Top of child's ears are below top of vehicle seat back or vehicle headrest.

6.0 Weight and Height Limits


⚠ WARNING ⚠ **DEATH or SERIOUS INJURY can occur**

- **FAILURE TO USE CHILD RESTRAINT APPROPRIATE FOR YOUR CHILD'S SIZE MAY INCREASE THE RISK OF SERIOUS INJURY OR DEATH.**
- **AVOID INJURIES FROM WHIPLASH. TOP OF CHILD'S EARS MUST BE BELOW TOP EDGE OF VEHICLE SEAT BACK OR VEHICLE HEADREST.**



This child restraint is designed for use only by a child who meets ALL of the following requirements:

- Child must be at least 4 years of age **and**
- Child's weight is between 40 and 100lbs. (18 and 45 kg) **and**
- Child's height is between 40 and 57 in. (101 and 145 cm) **and**
 - * Note: When using with Ride Safer Travel Vest, follow the age, weight, and height limit of the vest size you need.
- Top of child's ears must be below top of vehicle seat back or vehicle headrest **and**
- The shoulder belt lays across child's Shoulder in the zone shown on the right and the lap belt is positioned low on the hips contacting the thighs.



The American Academy of Pediatrics recommends using a Booster Car Seat until child reaches a standing height of 57 in. (145 cm) before securing child with a vehicle seat belt, without a Booster Seat.

7.0 Selecting a Vehicle Seating Location

WARNING

- **There are many different types of vehicles, vehicle seat belt systems, or other occupant restraint systems in use today. Accordingly, this manual can only give guidelines for proper installation in your vehicle. In addition to this manual, you must also read and understand the vehicle owner's manual, which should address use of child restraints. If your vehicle owner's manual does not address the installation of child restraints, please contact your local vehicle dealer, or the vehicle's manufacturer to obtain this information before using this Booster Seat.**

Not every seating location within a vehicle may be safe for the installation of this Booster Seat. In fact, some vehicles have no seating location that is safe for the installation of a Booster Seat. Improper placement of this Booster Seat within a vehicle will increase the risk of death or serious injury in a sudden stop or crash.

See "Vehicle Seat Belts" section for more information on vehicle seat belts.

Please follow the instructions in this manual and in the vehicle owner's manual carefully to ensure proper location and installation of this Booster Seat. If you are uncertain about the proper location of the Booster Seat within the vehicle, contact your vehicle manufacturer directly or through their dealer before using this Booster Seat. You are also invited to call Safe Traffic System at 1-847-233-0365 for additional information or assistance.

7.0 Selecting a Vehicle Seating Location

7.1 Overall Considerations for Selecting a Seating Location:

- Please review the vehicle's owner's manual to determine the best location for Booster Seat use, any specific instructions for Booster Seat installation, or to determine if any locations are unsafe for Booster Seat use. If you do not have the vehicle's owner's manual or the owner's manual does not address child Booster Seat use, please contact the vehicle manufacturer to obtain this information before using the Booster Seat.
- Use a rear seat location whenever possible. Rear seating locations have been shown to be statistically safer for children than a front seating location.
- Safe Traffic System recommends using the center rear seat location whenever possible. The rear seating locations have been shown to be statistically safer for children than a front seating location.
- Only use a vehicle front seating location if specifically allowed in vehicle's owner's manual and following all instructions in the vehicle's owner's manual.
- Safe Traffic System recommends using the center rear seat location whenever possible as this is the safest location for the Booster Car Seat.




7.0 Selecting a Vehicle Seating Location

7.2 Seating Locations to Avoid


DO NOT use this Booster Seat in the following seating locations.

- **Never** use this Booster Seat in a vehicle seating location that has an active air bag unless recommended in the vehicle's owner's manual. If the vehicle is equipped with a front passenger air bag, please refer to the vehicle's owner's manual for additional information about air bags and child safety seat installation.

- **DO NOT** use this Booster Seat in any vehicle seat that faces to the rear of the vehicle.



- **DO NOT** use this Booster Seat in any vehicle seat that faces to the side of the vehicle.
- **DO NOT** use this Booster Seat in a vehicle seating location that has a vehicle seat back that does not lock in position. A vehicle seat back that folds forward must lock to prevent it from moving forward in a sudden stop or crash.



7.3 Cup holder

- **Warning:** DO NOT place hot liquids in cup holder. If spilled hot liquids could burn your child.
Only use PLASTIC CONTAINERS. Never place sharp or pointed objects in the cup holder. In a crash these objects could hit you or your child and cause serious injuries.


8.0 Step by Step Travel Smarter® Booster Seat Installation and Use

Step 1. Find out Best Safety Position

- 1-1. Confirm the existence and function of lap and shoulder belt.
- 1-2. Confirm the existence of vehicle lower anchor if intending to use the optional LATCH strap to secure this Booster Seat.

ONLY A LAP AND SHOULDER BELT SYSTEM CAN BE USED WITH THIS BOOSTER SEAT, IF


the seat location meets all other requirements of these instructions and those in your vehicle owner's manual.



8.0 Step by Step Travel Smarter® Booster Seat Installation and Use



Step 2. Locate Booster Seat at Safe Position

- 2-1. Place Booster Seat all the way back in the center of the seat.
- 2-2. Separate Belt Positioner outward for easy use.
- 2-3. For ease of use, the lap shoulder belt locking clip is pulled out of the pocket.



Step 3. Securing Child in Vehicle Lap Shoulder Belt Locking Clip

- 3-1. Buckle seat belt.
- 3-2. Pull up on shoulder belt to make the lap belt snug.
- 3-3. Pinch lap and shoulder belt together by armrest. Unbuckle seatbelt.
- 3-4. Apply locking clip at the armrest bend and re-buckle seat belt. Recheck to make sure lap belt is snug on child's thighs.
- 3-5. Locking clip can be left on the lap and shoulder belt when exiting the booster seat.





8.0 Step by Step Travel Smarter® Booster Seat Installation and Use

⚠ WARNING ⚠

Never Use without Shoulder Belt Positioning Guide.

Step 4. Securing Child in Vehicle Shoulder Belt Positioning Guide

Place the Shoulder Belt Positioning Guide between neck and shoulder as shown in the picture.




Rear view of child sitting in seat

8.0 Step by Step Travel Smarter® Booster Seat Installation and Use

WARNING

- Discontinue use of the Booster Seat when the top of the child's ears are above top edge of vehicle head rest and vehicle seat back.
- Do not allow the child to slide down or slouch in the booster seat which could position the vehicle lap belt across the child's abdomen and the shoulder belt over the neck or face.
- Securely belt this Booster Seat in vehicle even when not occupied. An unsecured Booster Seat can injure other occupants in a crash.



To Remove Your Child

1. Remove the shoulder belt guide from the shoulder belt, or leave on for future use.
2. Unbuckle the seat belt.
3. Leave the locking clip on the lap and shoulder belt for future use or remove and store in the side pocket.

9.0 Vehicle Seat Belts

9.1 Check that the Vehicle Seat Belt is Safe to Use

The Booster Seat is designed to be used with a Vehicle Lap/Shoulder Belt ONLY. The vehicle seat belt must be capable of being positioned properly and snugly adjusted on child at all times. A variety of vehicles have been equipped with vehicle seat belt systems that are not safe for use with the Booster Seat. These systems may look safe but their method of operation precludes their use with the Booster Seat. If you are unsure if the vehicle seat belt is safe for use with the Booster Seat, please contact the vehicle manufacturer for additional information.

WARNING

Carefully analyze the operation of the vehicle seat belts before using the Booster Seat. Being able to use the vehicle seat belt with the Booster Seat is not an indication that the vehicle seat belt is safe to use. Carefully read this section on vehicle seat belt systems, review the vehicle's owner's manual in detail, and and all warning labels on the vehicle's seat belt. Your vehicle may require a modification or special seat belt in order to be safely used with this Booster Seat. Please see the vehicle dealer for this service.


9.0 Vehicle Seat Belts

Vehicle seat belt systems that are adequate for installation of this Booster Seat:

The following vehicle seat belt systems can be used with the Booster Seat provided that all of the other requirements prescribed in these instructions, including seat position, and all instructions provided by your vehicle's owner's manual are followed.


Combination lap and shoulder belt

- A vehicle lap and shoulder belt with a Latch Plate that locks the lap belt into position is suitable for use with the Booster Seat. Once this type of seat belt is fastened, the Latch Plate prevents the lap belt from loosening.



Latch Plate

- A vehicle lap and shoulder belt system that has a latch plate that freely slides along the seat belt is suitable for use with the Booster Seat.



Latch Plate




9.0 Vehicle Seat Belts

Vehicle seat belt systems that are *NOT* safe for installation of Booster Seat:

DO NOT use the following types of vehicle seat belt systems with a Booster Seat.


Lap Belt Only:

- **Do not** use any type of Vehicle Lap Belt ONLY system with Booster Seat. Using a lap-only belt could result in serious injury or death to the child.



Passive Restraint - Lap or Shoulder Belt Mounted on Door:


- **DO NOT** use a vehicle seat belt that is connected to the vehicle door in any way. These types of seat belts are designed to automatically surround the occupant when the door is closed. This type of vehicle seat belt will NOT adequately restrain the Booster Seat.



9.0 Vehicle Seat Belts

Passive Restraint - Lap Belt with Motorized Shoulder Belt:

DO NOT use a vehicle shoulder belt that moves along a track. These systems typically move to surround the occupant when the door is closed. This type of vehicle belt system will **NOT** adequately restrain the Booster Seat.



If you have any of the above vehicle seat belt systems, **DO NOT** use it to secure a child in this Booster Seat. Look in the vehicle for a location that has a Lap/Shoulder Belt system as described in this manual. You may also contact your vehicle's manufacturer to inquire about installing a seat belt system that is adequate to restrain a child in a Booster Seat.

10.0 Additional Information

10.1 Certifications

- This child restraint system conforms to all applicable Federal motor vehicle safety standards.
- Meets or exceeds all applicable requirements Federal Motor Vehicle Safety Standards 213 Booster Car Seat.
- Certified for use in motor vehicles.
- This restraint is **NOT** certified for use on aircraft.

10.2 When you use Travel Smarter Booster Seat with Ride Safer Travel Vest together, you must follow Instruction Manual of Travel Smarter Booster Seat Combo. You can download it from www.ridesafer.net. Please note that the weight limit for the small size of Ride Safer Travel Vest (30 to 60 lbs.) and Travel Smarter Booster Seat (40 to 100 lbs.) are different.

**Travel Smarter
Booster Seat**



40-100 lbs.

**RideSafer
Travel Vest**



30-60 lbs.

**Travel Smarter
Booster Seat Combo**



30-60 lbs.

WARNING

- Failure to follow all warning and instructions for both the Booster Car Seat and RideSafer Travel Vest can result in the child striking the vehicle's interior during a sudden stop or crash.

10.3 Useful Life

Discontinue use of Car Seat 10 years after date of manufacture on base.

11.0 Cleaning and Maintenance

11.0 Cleaning and Maintenance

The hard surfaces of the Booster Seat (plastic components) may be cleaned by wiping with a solution of water with mild soap. DO NOT use bleach as it may weaken plastic component. Dry all surfaces with a clean towel.

Care and Cleaning Seat Pad:

- For care and maintenance, read and follow instructions on fabric tags.

WARNING

- DO NOT use Booster Seat without seat pad.

To Remove Seat Pad:

- Remove seat pad from Booster Seat.
 - From bottom of Booster Seat, unfasten the 2 straps that are holding the storage bag. Slide front of seat pad up and over front of seat base and armrests.
- Reverse above step for replacing seat pad.

12.0 Replacement Parts

12.0 Replacement Parts

For all replacement parts and customer service inquiries, please call Safe Traffic Systems Inc.:

- Calls: 1-847-233-0365
- log onto: www.safetrafficsystem.com or www.ridesafer.net

13.0 Car Seat Registration

13.0 Register Your Car Seat

Please complete the following information. The model number and manufactured in (date) can be found on a label on the bottom of the child restraint.

Model Number : _____

Manufactured in : _____

Purchase Date : _____



Please fill out the prepaid registration post card attached to the safety harness and mail it today.

Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Send your name, address, email address if available, and the restraint's model number and manufacturing date to: **Safe Traffic System, Inc., 10201 Pacific Avenue, Franklin Park, IL 60131** or call **1-847-233-0365** or register online at: <http://www.safetrafficsystem.com> OR www.ridesafer.net. For Recall information: Contact the **U.S. Government's Vehicle Safety Hotline** at: **1-888-327-4236** (TTY: 1-800-424-9153), or go to <http://www.NHTSA.gov>.

If You Need Help

Please contact our Customer Service Department with any questions concerning your child restraint. When you contact us, please have the model and manufactured in (date) ready. These numbers can be found on a white label located on the bottom of the child restraint.

USA Toll Free: **1-847-233-0365**

8:00 a.m. to 4:30 p.m. (PST) Monday - Friday

or <http://www.safetrafficsystem.com> OR www.ridesafer.net.